

MATERIAL SAFETY DATA SHEETS TileMaster - All in One (Water)

Section 1 – Product Identification	
Product name	TileMaster All in One (Water)
Product type	Liquid
Product description	Water-based solution to protect marble,
	granite, porous stone and ceramic / porcelain
	from water and oil
Prepared by	TileMaster Global Limited, Unit 11 / 12 Shepley
	Land Ind Est, Hawk Green, Stockport, SK6 7JW
	Tel: 0161 444 0377 email:
	info@thetilemaster.co
Compilation date	18.10.2015 – Revision No.3

Section 2 – Hazards Identification

2.1

Classification of the substance according to Regulation EC n. 1272/2008

The product is not classified as dangerous -

Irritant Xi; H315

Dangers for human health: Skin and eyes irritating

See section 16 for the complete text of sentence H

See section 11 for additional information on health effects


Hazardous indications: H305 May be harmful if swallowed and if penetrating in breathing ways.

EUH066 repeated exposure may cause skin dryness and cracks.

Prudence recommendations:

P101 Keep far from the reach of children	
P210 keep far from heating sources/sparks/free flames. Do not smoke	
P280 Wear gloves/protective clothes/protect eyes/face	
P301-P310 IN CASE OF INGESTION: immediately call a doctor	
P501 Collect the product/container according to Directives.	
P207 use only outside or in a well airy ambient.	
Indications on precautions:	
Wear protective gloves	
Protection for eyes and face.	
Do not eat, drink or smoke during use.	
Wash hands well after use.	
Do not waste residues in the environment	

Disposal:





Danger labelling in compliance with (CE) 1272/2008 (CLP) Regulation and following modifications and adjustments



Danger:

Tile Master Global Ltd Unit 11 / 12 Shepley Road Ind Est Hawk Green, Marple, Stockport, SK6 7JW T +44 (0)161 444 0377 E info@thetilemaster.co.uk www.thetilemaster.co.uk

Irritant

Risk: H315 causes skin irritation Safety: S24/S25 avoid contact with eyes and skin S36/S37/S39 wear suitable protective clothes and gloves to protect eyes/face

Section 3 – Composition / Information on the ingredients

3.1

Substances: Not applicable

3.2

Mixtures: No dangerous component according to Regulations. (CE) no. 1907/2006 and (CE) No.453/2010

Section 4 – First Aid Measures

4.1

First aid measured description:

In case of contact with the skin: Remove dirty shoes and clothes

then safely dispose them. Wash the area with soap and water. Immediately call a doctor in case of irritation, swelling or redness persist. In case of contact with the eyes: Rinse well with water. Call the specialist doctor or local hospital if irritation persists.

4.2

Main symptoms and effects both acute and delayed, see chapter 11:

Skin contact: Redness, irritations Eyes contact: Eyes irritation

4.3

Indication on the eventual necessity of contacting a doctor and special treatments - Follow doctor's instructions.

Section 5 – Anti-Fire Measures

5.1

The product is not flammable

Section 6 – Accidental Release Measures

6.1

Personal equipment, protective clothing and emergency procedures:

Wear suitable protective clothes

6.2

Precautions for the environment:

Do not pour down drains

6.3

Methods and materials to collect and clean:

Collect with absorbent materials like sand, sawdust and dispose according to proper rules



T +44 (0)161 444 0377 E info@thetilemaster.co.uk www.thetilemaster.co.uk

7.1

Precautions for safe handle:

Section 7 – Handling and Storage

Wear gloves, apron, mask and boots.

7.2

Safe warehouse:

Keep container well sealed in a dry place; protect from freeze and avoid temperatures higher than 40°C. Do not keep in warehouse together with acids and strong basis.

7.3

Specific end uses:

Anti-stain treatments

Section 8 – Exposure Control and Protection

8.1

Since the use of suitable technical measures should be first than personal protection equipment, it's necessary to ensure a proper ventilation through the use of a good aspiration device or the polluted air discharge. If these operations do not keep product concentration under minimum exposure values, it will be necessary to wear a suitable breathing apparatus protection. During use, refer to danger label for more details. Personal protective clothes must be in compliance with the rules here below indicated:

Hands Protection

Protect hands using working gloves, II category. (ref. Directive 89/686/CEE and Rule EN 374) like: PVC, neoprene, nitrile or equivalent.

The final choice of the gloves must consider: degradation, breaking time and permeability. In case of mixtures the gloves resistance must be checked before using, it is not foreseeable. Gloves have a wear and tear term that depends on exposure time.

Eyes Protection Wear sealing protective mask (ref. Rule EN 166)

Skin Protection Wear long sleeves working clothes and shoes for professional use, II category. (ref. Directive CEE and EN 344 rule). Wash with plenty of water after taking protective clothes off. Breathing Protection

In case of overcoming of the limit value of one or more substances present in the product, wear a mask with filter A type or the universal type, whose class (1,2 or 3) will be chosen according to the use. (ref. EN 141 Rule). The use of breathing apparatus protections, like mask with filter for organic vapors and powders/fog, it's compulsory in absence of technical measures to limit the worker exposure. The protection given by the mask is limited anyway. If the substance is odourless or in case of emergency (unknown time of exposure or the oxygen level in the ambient is lower than 17%) wear a compressed air auto-breather at open circuit (ref. Rule EN 137) or a respirator with external air outlet for the use with whole mask, semi-mask or nozzle. (Ref. Rule EN 138). If there's the risk to get squirts or sprinkles due to the type of work performed, it's necessary to foresee a suitable mucous protection (mouth, nose, eyes) in order to avoid accidental absorptions.

8.2

Limits of exposure:

No substance at exposure limit

8.3 Exposure control, Technical controls:



T +44 (0)161 444 0377 E info@thetilemaster.co.uk www.thetilemaster.co.uk

Handle in well ventilated areas

8.4

Individual protection:

Wear gloves and mask, in normal use conditions no vapors is generated

8.5

Environmental protection:

Avoid discharge in sewers

Section 9 – Chemical and Physical Propoerties

9.1

Status:	
Calam	Liquid
Color:	Opalescent
Odor:	Typical
Smelling threshold:	Typical
-	No data available
pH:	Between 6 and 8
Boiling point:	10580
Fusion point:	105°C approx.
·	not applicable
Flashing point:	Not applicable
Ignition temperature:	
Vapors:	not determined
	Not determined
Viscosity:	Approx 15 mDa c
Solubility:	Approx. 15 mPa s
-	Soluble in water

Section 10 – Stability and Reactivity

10.1

Reactivity:	
	No dangerous reaction in normal conditions of use
10.2	
Chemical stability:	
	The product is stable
10.3	
Possible dangerous rea	ctions:
	No dangerous reactions detected

10.4



Conditions to avoid:

Tile Master Global Ltd Unit 11 / 12 Shepley Road Ind Est Hawk Green, Marple, Stockport, SK6 7JW T +44 (0)161 444 0377 E info@thetilemaster.co.uk www.thetilemaster.co.uk

Contact with acids and strong basis

10.5

Hazardous decomposition products:

Decomposition starts at temperatures higher than 150°C; in normal use conditions no decomposition is detected

Section 11 – Toxicological Infomation

 Acute inhalation toxicity:
 No relevant data

 Acute oral toxicity:
 LD50 ratto > 5.110 mg/kg

 Contact with the skin:
 May cause irritation

 Contact with the eyes:
 May cause eyes irritation

 Ingestion:
 No effect on human health linked to the product ingestion has been detected. Use the product according to the instruction.

 Ingestion can cause:
 Gastrointestinal irritation. Symptoms: pain, vomit, nausea and abdomen pain.

Additional toxic information:

No particular negative effect has been detected.

Section 12 – Ecological Information

There's no information on the product, so use it according to good working procedures, do not waste it in the environment. Absolutely avoid to waste product in the ground or drains. Call authorized companies if the product reaches water drains or in case of ground or flora pollution. Follow all the measures to reduce at the minimum level the effects on water drains.

12.1

Toxicity Information:

Not available

12.2

Persistence and degradability Information:

Not available

12.3

Potential bio-accumulative Information: Not available

12.4

Mobility in the ground Information:

Not available

12.5

Results of the PBT and vPvB evaluation Information: Not available



T +44 (0)161 444 0377 E info@thetilemaster.co.uk www.thetilemaster.co.uk

12.6 Additional effects Information: Not available

Section 13 – Disposal Considerations

13.1

Waste Handling:

Re-use, if possible the product. Product residues must be regarded as special dangerous waste. Waste danger that contain this product must be evaluated on the basis of current rules.

Disposal:

Must be performed by company authorized to waste handling, according to national and local current rules. Polluted Packages, Polluted packages must be recovered or wasted in compliance with National rules concerning waste management.

Section 14 - Transport

14.1

UN Nr.:	
	not ruled
14.2	
ADR Class:	
	not ruled
14.3	
IMO Class:	
	not ruled
14.4	
ICAO Class:	
	not ruled

Section 15 – Regulatory Information

Regulation on health, safety and environment specific for the substance

Regulation CE n. 1907/2006 (Reach), Annex XIV list of substances subject to authorization Substances SVHC: none Annex XVII: none

Section 16 – Other Information

16.1

Classification according to Regulation CE 1272/2008 Hazard indications: Flam. Liq.2 Flammable liquid, cat. 2 Acute tox.3 High toxicity, cat. 3 STOT SE 1 Specific toxicity for target - single exposure, Cat. 1 Flam.Liq.3 Flammable liquid, cat.3 STOT SE 3 Specific toxicity for target-single exposure, Cat.3



T +44 (0)161 444 0377 E info@thetilemaster.co.uk www.thetilemaster.co.uk

Carc. 1B Cancerougenicity, CAT 1 B Muta, 1B Mutagenicity on stem cells, cat. 1 B Asp. Tox.1 Danger in case of aspiration, cat. 1 Acute tox.4 High toxicity, cat. 4 STOT RE 1 Specific toxicity for target - repeated exposure, cat. 1 Eye Irrit. 2 Eyes irritation, cat.2 Aquatic Acute 1 Dangerous for fish fauna, high toxicity, cat.1 Aquatic Chronic 1 Dangerous for fish fauna, high toxicity, cat.1 H226 Liquid and flammable vapours H305 may be harmful if swallowed and by penetrating breathing ways H315 causes skin irritation H319 Causes eye irratation EUH066 Continuous exposure may cause skin dryness and cracks. **R10** flammable **R11** easily flammable R 23/24/25 toxic by inhalation, skin contact, ingestion R36 eyes irritating R48/25 toxic: serious healthy damages in Case of long exposure by ingestion. **R50/53** high toxic for aquatic organism, At long term it may cause negative effects for fish fauna **R65** harmful: if swallowed could cause serious damage to lungs. **R66** continuous exposure may cause skin dryness and cracks. **R67** vapours inhalation may cause sleepiness and giddiness. R68 possibility of non-reversible effects. General Bibliography 1. Directive 1999/45/CE and following modifications 2. Directive 67/548/CEE and following modifications 3. Regulation (CE) 1907/2006 of European Parliament (REACH) 4. Regulation (CE) 790/2009 of European Parliament (I Atp. CLP) 5. Regulation (CE) 453/2010 of European Parliament 6. The Merck Index Ed. 10 7. Handling Chemical Safety 8. Niosh- Regestry of Toxic Effects of Chemicals Substances 9. INRS – Fiche Toxicologique 10. Patty- Industrial Hygiene and Toxicology 11. N.I. Sax. – Dangerous properties of Industrial Materials – 7 Ed. 1989

USER'S NOTES:

The information herein contained have been draught on the basis of available knowledge upon data sheet version. The user must make sure of the suitability and completeness of the information referring to the specific use of the product. Do not read this document as warranty of any specific property of the product. Since the use of the product is not under our direct control, it's the user's liability respect current rules in terms of hygiene and safety. We are not held liable for unproper use.